


1

2

3

4


REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A0		Mass Production	Lucas 02/17/15	Ray 02/17/15	Ray 02/17/15



GTC
DOC.CENTER.ISSUE
FEB.17.2015
ONLY FOR
RELEASE

P/N	LENGTH
RR-ARAFPM-06GR	153 ⁺²⁰ ₋₀
RR-ARAFPM-12GR	305 ⁺²⁰ ₋₀
RR-ARAFPM-24GR	610 ⁺³⁰ ₋₀

TITLE						DRAWING NUMBER			REV.	
USB3.0 AM RIGHT-ANGLE RIGHT TO A FEMALE						RR-ARAFPM-XXGR			A0	
DO NOT SCALE DRAWINGS	B	1:1	Lucas 02/17/15	Ray 02/17/15	Ray 02/17/15	X.X ± 0.5 X.XX ± 0.2	X.XXX ± 0.05 ANGLES ± 1°	mm	1/3	
THIRD ANGLE PROJECTION	SIZE	SCALE	DRAW / DATE	CHECK / DATE	APPROVE / DATE	TOLERANCES		UNIT	SHEET	




USBFIREWIRE.com

THE INFORMATION CONTAINED HEREIN IS PROPRIETARY
AND CONFIDENTIAL TO RR BUSINESS VENTURES, LLC. THE
POSSESSOR AGREES TO THE FOLLOWING
1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
2. NOT TO REPRODUCE OR COPY IT
3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART

1

2

3

4

REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A0		Mass Production	Lucas 02/17/15	Ray 02/17/15	Ray 02/17/15

***CONSTRUCTION:

1.CABLE:

- * UL2725 (1PR/28#+EAM)*2+(1PR/28#+A)+2C/24#+AB85%
OD:5.5mm BLACKE JACKET (REV:3.0)

***CONNECTOR:

2.USB A/M:

- * USB A "3.0" TYPE 9PIN MALE SOLDER TYPE. (SWEETRAY P/N:CHUSB3AM03B)
- * PINS: 30u GOLD PLATED OVER NICKEL.
- * SHELL: STEEL WITH GOLD FLASH .
- * INSULATOR: BLUE COLOR P.B.T UL 94V-0 RATED.
- * MOLDED BLACK PVC 45P.

3.USB A/F:

- * USB A "3.0" TYPE 9PIN FEMALE SOLDER TYPE.(XKJX P/N:CU3F009S16T00R)
- * PINS: 30u GOLD PLATED OVER NICKEL.
- * SHELL: BRASS WITH GOLD FLASH .
- * INSULATOR: BLUE COLOR P.B.T UL 94V-0 RATED.
- * SCREW: 5.0*11mm, NUT: #4-40UNC L=3mm W=6.3mm.
- * MOLDED BLACK PVC 45P.

4.TEST:


- * CT: 2 ohm IS: 5M ohm.

5.PACKING:

- * PACK EACH CABLE IN A POLY BAG AND 25PCS IN A POLY BAG.

6.MATERIAL:

- * MATERIAL WITH RoHS GRADE.



TITLE						DRAWING NUMBER				REV.
USB3.0 AM RIGHT-ANGLE RIGHT TO A FEMALE						RR-ARAFPM-XXGR				A0
	B	1:1	Lucas 02/17/15	Ray 02/17/15	Ray 02/17/15	X.X X.XX	± 0.5 ± 0.2	X.XXX ANGLES	± 0.05 ± 1°	mm 2/3
THIRD ANGLE PROJECTION	SIZE	SCALE	DRAW / DATE	CHECK / DATE	APPROVE / DATE	TOLERANCES			UNIT	SHEET



THE INFORMATION CONTAINED HEREIN IS PROPRIETARY AND CONFIDENTIAL TO RR BUSINESS VENTURES, LLC. THE POSSESSOR AGREES TO THE FOLLOWING
1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
2. NOT TO REPRODUCE OR COPY IT
3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART

1

2

3

4

1

2

3

4


REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A0		Mass Production	Lucas 02/17/15	Ray 02/17/15	Ray 02/17/15

P/N	LENGTH(mm)	PE BAG(inch)	PACKAGE
RR-ARAFPM-06GR	153 $^{+20}_{-0}$	5.5*10	(1)
RR-ARAFPM-12GR	305 $^{+20}_{-0}$	5.5*10	(2)
RR-ARAFPM-24GR	610 $^{+30}_{-0}$	5.5*10	(2)

PE BAG LABEL




RoHS LABEL






NOTES:PACK EACH CABLE IN A POLY BAG
AND 25PCS IN A POLY BAG.

PACK(1)



PACK(2)



TITLE
USB3.0 AM RIGHT-ANGLE RIGHT TO A FEMALE

DRAWING NUMBER
RR-ARAFPM-XXGR

REV.
A0

DO NOT SCALE DRAWINGS	B	1:1	Lucas 02/17/15	Ray 02/17/15	Ray 02/17/15	X.X X.XX	± 0.5 ± 0.2	X.XXX ANGLES	± 0.05 $\pm 1^\circ$	mm	3/3
THIRD ANGLE PROJECTION	SIZE	SCALE	DRAW / DATE	CHECK / DATE	APPROVE / DATE	TOLERANCES		UNIT		SHEET	



THE INFORMATION CONTAINED HEREIN IS PROPRIETARY
AND CONFIDENTIAL TO RR BUSINESS VENTURES, LLC. THE
POSSESSOR AGREES TO THE FOLLOWING
1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
2. NOT TO REPRODUCE OR COPY IT
3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART

1

2

3

4