


1

2

3

4

REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A1	ECN-180918	Modify Drawing	Lucas 10/02/18	Lucas 10/02/18	Ray 10/02/18



Micro USB BM
RIGHT ANGLE RIGHT
MOLDED BLACK

USB A 3.0 MALE
MOLDED BLACK

Plastic Tongue
(Black Shaded Area)


PIN OUT

Micro-USB BM		USB A M
1	RED	1
2	WHITE	2
3	GREEN	3
5	BLACK	4
6	BLUE	5
7	YELLOW	6
8	DRAIN	7
9	PURPLE	8
10	ORANGE	9
	BRAID	
SHEEL		SHEEL

GTC
DOC.CENTER.ISSUE
OCT.02.2018
ONLY FOR
RELEASE

P/N	LENGTH
RR-ASMR-06GR	153 ⁺²⁰ ₋₀
RR-ASMR-10GR	255 ⁺³⁰ ₋₀
RR-ASMR-20GR	508 ⁺³⁰ ₋₀
RR-ASMR-78GR	1980 ⁺⁶⁰ ₋₀
RR-ASMR-180GR	4575 ⁺⁸⁰ ₋₀

TITLE Micro-BM RIGHT-ANGLE RIGHT TO USB3.0 AM					DRAWING NUMBER RR-ASMR-XXGR			REV. A1	
THIRD ANGLE PROJECTION	SIZE B	SCALE 1:1	DRAW / DATE Lucas 05/05/14	CHECK / DATE Ray 05/05/14	APPROVE / DATE Ray 05/05/14	TOLERANCES X.X ± 0.5 X.XX ± 0.2		UNIT mm	SHEET 1/3


USB FIREWIRE.com
THE INFORMATION CONTAINED HEREIN IS PROPRIETARY AND CONFIDENTIAL TO RR BUSINESS VENTURES, LLC. THE POSSESSOR AGREES TO THE FOLLOWING
 1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
 2. NOT TO REPRODUCE OR COPY IT
 3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART

1

2

3

4

1

2

3

4

REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A1	ECN-180918	Modify Drawing	Lucas 10/02/18	Lucas 10/02/18	Ray 10/02/18

***CONSTRUCTION:


1.CABLE: * UL2725 (1PR/28#+EAM)*2+(1PR/28#+A)+2C/24#+AB85%
OD:5.5mm BLACKE JACKET (REV:3.0)

***CONNECTOR:

2.USB A/M: * USB A "3.0" TYPE 9PIN MALE SOLDER TYPE.(NEW-CONN P/N:06801508M5CA)
* PINS: 30u GOLD PLATED OVER NICKEL.
* SHELL: STEEL WITH GOLD FLASH .
* INSULATOR: BLUE COLOR P.B.T UL 94V-0 RATED.
* MOLDED BLACK PVC 45P.

3.Micro-USB B/M: * MICRO-USB B "3.0" TYPE 10PIN MALE SOLDER TYPE.(SWEETRAY P/N:CHMICROUSB3BM01E)
* PINS: 30u GOLD PLATED OVER NICKEL.
* SHELL: STEEL WITH GOLD FLASH .
* INSULATOR: BLACK COLOR P.B.T UL 94V-0 RATED.
* MOLDED BLACK PVC 45P.

4.TEST: * CT: 2 ohm IS: 5M ohm.
5.PACKING: * PACK EACH CABLE IN A POLY BAG AND 25PCS IN A POLY BAG.
6.MATERIAL: * MATERIAL WITH RoHS GRADE.



TITLE Micro-BM RIGHT-ANGLE RIGHT TO USB3.0 AM						DRAWING NUMBER RR-ASMR-XXGR			REV. A1
	B	1:1	Lucas 05/05/14	Ray 05/05/14	Ray 05/05/14	X.X ± 0.5 X.XX ± 0.2	X.XXX ± 0.05 ANGLES ± 1°	mm	2/3
THIRD ANGLE PROJECTION	SIZE	SCALE	DRAW / DATE	CHECK / DATE	APPROVE / DATE	TOLERANCES		UNIT	SHEET

THE INFORMATION CONTAINED HEREIN IS PROPRIETARY AND CONFIDENTIAL TO RR BUSINESS VENTURES, LLC. THE POSSESSOR AGREES TO THE FOLLOWING
1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
2. NOT TO REPRODUCE OR COPY IT
3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART

1

2

3

4

1

2

3

4


REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A1	ECN-180918	Modify Drawing	Lucas 10/02/18	Lucas 10/02/18	Ray 10/02/18

P/N	LENGTH	PE BAG	PACKAGE
RR-ASMR-06GR	153 ⁺²⁰ ₋₀	5.5"*10	(1)
RR-ASMR-10GR	255 ⁺³⁰ ₋₀	5.5"*10	(2)
RR-ASMR-20GR	508 ⁺³⁰ ₋₀	5.5"*10	(2)
RR-ASMR-78GR	1980 ⁺⁶⁰ ₋₀	5.5"*10	(3)
RR-ASMR-180GR	4575 ⁺⁸⁰ ₋₀	7"*10	(3)



PE BAG LABEL



RoHS LABEL



NOTES:PACK EACH CABLE IN A POLY BAG AND 25PCS IN A POLY BAG.



GTC
DOC.CENTER.ISSUE
OCT.02.2018
ONLY FOR
RELEASE

TITLE Micro-BM RIGHT-ANGLE RIGHT TO USB3.0 AM					DRAWING NUMBER RR-ASMR-XXGR			REV. A1	
THIRD ANGLE PROJECTION DO NOT SCALE DRAWINGS	SIZE B	SCALE 1:1	DRAW / DATE Lucas 05/05/14	CHECK / DATE Ray 05/05/14	APPROVE / DATE Ray 05/05/14	TOLERANCES X.X ± 0.5 X.XX ± 0.2		UNIT mm	SHEET 3/3

THE INFORMATION CONTAINED HEREIN IS PROPRIETARY AND CONFIDENTIAL TO RR BUSINESS VENTURES, LLC. THE POSSESSOR AGREES TO THE FOLLOWING

1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
2. NOT TO REPRODUCE OR COPY IT
3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART

1

2

3

4